



Figure 7.3a.1: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
 - G1 Standing water
 - G2 Running water
 - J2.1.1 Intact hedge (native species-rich)
 - J2.1.2 Intact hedge (species-poor)
 - J2.2.1 Defunct hedge (native species-rich)
 - J2.2.2 Defunct hedge (species-poor)
 - J2.3.1 Hedge with trees (native species-rich)
 - J2.3.2 Hedge with trees (species-poor)
 - J5 Other habitat
 - ● TL Tree line
- Phase 1 habitat area**
 - A1.1.1 Broadleaved woodland (semi-natural)
 - A1.2.2 Coniferous woodland - plantation
 - A2.2 Scrub (scattered)
 - A3.1 Broadleaved scattered trees
 - B4 Improved grassland
 - B5 Marshy grassland
 - B6 Poor semi-improved grassland
 - C1.1 Bracken (continuous)
 - D1.1 Dry dwarf shrub heath - acid
 - D5 Dry heath/ acid grassland
 - G1 Standing water
 - HS Hard standing
 - I2.1 Quarry
 - J3.6 Buildings
 - J4 Bare ground
- Data source**
 - ITPE
 - ITPE (edited or updated by LUC)
 - LUC






Figure 7.3a.2: Phase 1 Habitats

- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
- J2.3.1 Hedge with trees (native species-rich)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
- A3.1 Broadleaved scattered trees
- B1.2 Acid grassland (semi-improved)
- B4 Improved grassland
- B5 Marshy grassland
- B6 Poor semi-improved grassland
- C1.1 Bracken (continuous)
- D1 Dry dwarf shrub heath
- D1.1 Dry dwarf shrub heath - acid
- D5 Dry heath/ acid grassland
- E1.6.1 Blanket bog
- E2.1 Acid flush
- G1 Standing water
- Data source**
- ITPE
- ITPE (edited or updated by LUC)
- LUC





Figure 7.3a.3: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
 - G2 Running water
 - TL Tree line
- Phase 1 habitat area**
 - A2.1 Scrub (dense/continuous)
 - B1.2 Acid grassland (semi-improved)
 - B4 Improved grassland
 - B4 Improved grassland/ C1.2 Bracken (scattered)
 - B5 Marshy grassland
 - B6 Poor semi-improved grassland
 - C1.1 Bracken (continuous)
 - D5 Dry heath/ acid grassland
 - G1 Standing water
 - HS Hard standing
 - I1.2.2 Scree (basic)
- Data source**
 - ITPE
 - ITPE (edited or updated by LUC)
 - LUC






Figure 7.3a.4: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
 - G2 Running water
 - J2.1.1 Intact hedge (native species-rich)
 - J2.1.2 Intact hedge (species-poor)
 - J2.2.1 Defunct hedge (native species-rich)
 - J2.3.1 Hedge with trees (native species-rich)
 - TL Tree line
- Phase 1 habitat area**
 - A1.1.1 Broadleaved woodland (semi-natural)
 - A1.3.1 Mixed woodland (semi-natural)
 - A2.1 Scrub (dense/continuous)
 - A3.1 Broadleaved scattered trees
 - B4 Improved grassland
 - B4 Improved grassland/ C1.2 Bracken (scattered)
 - B5 Marshy grassland
 - B6 Poor semi-improved grassland
 - C1.1 Bracken (continuous)
 - C1.1 Bracken (continuous)/ B4 Improved grassland
 - G1 Standing water
 - HS Hard standing
 - J3.6 Buildings
- Data source**
 - ITPE
 - ITPE (edited or updated by LUC)
 - LUC






Figure 7.3a.5: Phase 1 Habitats

- Application boundary
 - Infrastructure footprint (temporary loss)
 - Infrastructure footprint (permanent loss)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
 - A3.1 Broadleaved scattered trees
 - B1.2 Acid grassland (semi-improved)
 - C1.1 Bracken (continuous)
 - D1.1 Dry dwarf shrub heath - acid
 - D5 Dry heath/ acid grassland
 - G1 Standing water
- Data source**
- ITPE
 - ITPE (edited or updated by LUC)
 - LUC





Figure 7.3a.6: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)

Phase 1 habitat area

- A1.1.1 Broadleaved woodland (semi-natural)
- A3.1 Broadleaved scattered trees
- B1.2 Acid grassland (semi-improved)
- B4 Improved grassland
- B5 Marshy grassland
- B6 Poor semi-improved grassland
- C1.1 Bracken (continuous)
- C1.2 Bracken - scattered
- D1 Dry dwarf shrub heath
- D1.1 Dry dwarf shrub heath - acid
- D5 Dry heath/ acid grassland
- E1.6.1 Blanket bog
- E2.1 Acid flush
- G1 Standing water

Data source

- ITPE
- ITPE (edited or updated by LUC)
- LUC





Figure 7.3a.7: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)

Phase 1 habitat area

- A3.1 Broadleaved scattered trees
- B1.2 Acid grassland (semi-improved)
- B4 Improved grassland
- B5 Marshy grassland
- C1.1 Bracken (continuous)
- D1 Dry dwarf shrub heath
- D1.1 Dry dwarf shrub heath - acid
- D5 Dry heath/ acid grassland
- E1.6.1 Blanket bog
- G1 Standing water
- I1.2.2 Scree (basic)

Data source

- ITPE
- ITPE (edited or updated by LUC)
- LUC




Figure 7.3a.8: Phase 1 Habitats






Figure 7.3a.9: Phase 1 Habitats



- Application boundary
 - Infrastructure footprint (temporary loss)
 - Infrastructure footprint (permanent loss)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
 - A3.1 Broadleaved scattered trees
 - B1.2 Acid grassland (semi-improved)
 - B4 Improved grassland
 - B6 Poor semi-improved grassland
 - C1.1 Bracken (continuous)
 - C1.1 Bracken (continuous)/ A3.1 Broadleaved scattered trees
 - D1 Dry dwarf shrub heath
 - D1.1 Dry dwarf shrub heath - acid
 - D5 Dry heath/ acid grassland
 - E2.1 Acid flush
 - G1 Standing water
- Data source**
- ITPE
 - ITPE (edited or updated by LUC)
 - LUC






Figure 7.3a.10: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
- A1.2.2 Coniferous woodland - plantation
- A3.1 Broadleaved scattered trees
- B1.2 Acid grassland (semi-improved)
- B4 Improved grassland
- B6 Poor semi-improved grassland
- C1.1 Bracken (continuous)
- C1.2 Bracken - scattered
- D1.1 Dry dwarf shrub heath - acid
- D5 Dry heath/ acid grassland
- E2.1 Acid flush
- G1 Standing water
- HS Hard standing
- J1.1 Arable
- J3.6 Buildings
- J5 Other habitat
- Data source**
- ITPE
- ITPE (edited or updated by LUC)
- LUC







Figure 7.3a.11: Phase 1 Habitats

- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
 - J2.1.2 Intact hedge (species-poor)
 - J2.2.2 Defunct hedge (species-poor)
 - J2.3.2 Hedge with trees (species-poor)
 - J2.8 Earth bank
 - TL Tree line
- Phase 1 habitat area**
 - A1.1.1 Broadleaved woodland (semi-natural)
 - A1.1.1 Broadleaved woodland (semi-natural)/ A1.3.1 Mixed woodland (semi-natural)
 - A1.1.1 Broadleaved woodland (semi-natural)/ G2 Running water
 - A1.2.2 Coniferous woodland - plantation
 - A1.3.1 Mixed woodland (semi-natural)
 - A3.1 Broadleaved scattered trees
 - A3.3 Mixed scattered trees/ B5 Marshy grassland
 - B1.2 Acid grassland (semi-improved)
 - B4 Improved grassland
 - B5 Marshy grassland
 - B6 Poor semi-improved grassland
 - B6 Poor semi-improved grassland/ A2.2 Scrub (scattered)
 - C1.1 Bracken (continuous)
 - C3.1 Other tall herb and fern (ruderal)
 - D1.1 Dry dwarf shrub heath - acid
 - D5 Dry heath/ acid grassland
 - G1 Standing water
 - I2.1 Quarry
 - J1.3 Ephemeral/ short perennial
 - J3.6 Buildings
- Data source**
 - ITPE
 - ITPE (edited or updated by LUC)
 - LUC







Figure 7.3a.12: Phase 1 Habitats

- Application boundary
 - Infrastructure footprint (temporary loss)
 - Infrastructure footprint (permanent loss)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
 - A3.1 Broadleaved scattered trees
 - B4 Improved grassland
 - C1.1 Bracken (continuous)
 - C1.1 Bracken (continuous)/ A3.1 Broadleaved scattered trees
 - D1 Dry dwarf shrub heath
 - D1.1 Dry dwarf shrub heath - acid
 - D5 Dry heath/ acid grassland
 - G1 Standing water
- Data source**
- ITPE
 - ITPE (edited or updated by LUC)
 - LUC






Figure 7.3a.13: Phase 1 Habitats

- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat area**
 - A1.1.1 Broadleaved woodland (semi-natural)
 - A1.2.2 Coniferous woodland - plantation
 - A3.1 Broadleaved scattered trees
 - B1.2 Acid grassland (semi-improved)
 - B4 Improved grassland
 - C1.1 Bracken (continuous)
 - D1 Dry dwarf shrub heath
 - D1.1 Dry dwarf shrub heath - acid
 - D5 Dry heath/ acid grassland
 - G1 Standing water
 - J1.1 Arable
- Data source**
 - ITPE
 - ITPE (edited or updated by LUC)
 - LUC





Figure 7.3a.14: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
- J2.1.2 Intact hedge (species-poor)
 - J2.3.2 Hedge with trees (species-poor)
 - TL Tree line
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
 - A1.1.1 Broadleaved woodland (semi-natural)/ C1.2 Bracken (scattered)
 - A1.1.1 Broadleaved woodland (semi-natural)/ G2 Running water
 - A1.2.2 Coniferous woodland - plantation
 - A3.1 Broadleaved scattered trees
 - B1.2 Acid grassland (semi-improved)
 - B4 Improved grassland
 - B6 Poor semi-improved grassland
 - B6 Poor semi-improved grassland/ A2.2 Scrub (scattered)
 - C1.1 Bracken (continuous)
 - D5 Dry heath/ acid grassland
 - G1 Standing water
 - HS Hard standing
 - I2.1 Quarry
 - J1.1 Arable
 - J1.3 Ephemeral/ short perennial
 - J3.6 Buildings
 - J5 Other habitat
- Data source**
- ITPE
 - ITPE (edited or updated by LUC)
 - LUC





Figure 7.3a.15: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat linear**
- J2.3.2 Hedge with trees (species-poor)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
 - A1.1.1 Broadleaved woodland (semi-natural)/ A1.3.1 Mixed woodland (semi-natural)
 - A1.1.1 Broadleaved woodland (semi-natural)/ C1.2 Bracken (scattered)
 - A3.1 Broadleaved scattered trees
 - A3.3 Mixed scattered trees/ B5 Marshy grassland
 - B1.2 Acid grassland (semi-improved)
 - B4 Improved grassland
 - B6 Poor semi-improved grassland
 - C1.1 Bracken (continuous)
 - C1.2 Bracken - scattered
 - D1.1 Dry dwarf shrub heath - acid
 - G1 Standing water
 - J1.1 Arable
 - J1.3 Ephemeral/ short perennial
- Data source**
- ITPE
 - ITPE (edited or updated by LUC)
 - LUC





Figure 7.3a.16: Phase 1 Habitats



- Application boundary
- Infrastructure footprint (temporary loss)
- Infrastructure footprint (permanent loss)
- Phase 1 habitat area**
- A1.1.1 Broadleaved woodland (semi-natural)
- A3.1 Broadleaved scattered trees
- C1.1 Bracken (continuous)
- J1.3 Ephemeral/ short perennial
- Data source**
- ITPE
- ITPE (edited or updated by LUC)
- LUC

